



TRADE CATALOGUE 2026

PROTECTIVE EYEWEAR

CATALOGUE

Where safety meets style. Certified protection built to ANSI Z87.1,
engineered as eyewear people choose to wear.

www.hidxsafety.com

12 MODELS · 1 YEAR WARRANTY · TRADE ONLY

INTRODUCTION

Protection should never cost you style.

Where safety meets style.



Safety eyewear has traditionally asked the wearer to accept a compromise: protect your eyes, and look like you are at work. HiDX exists to remove that trade-off. Twelve certified frames, built to ANSI Z87.1, engineered for prescription glazing, and designed to be chosen rather than tolerated.

WHO WE SUPPLY

Optical retailers

Dispensing practices glazing certified frames to prescription for occupational wearers.

Industrial safety distributors

Suppliers equipping sites, fleets and tender programmes with compliant eye protection.

THREE SERIES

01
Industrial Series

6 MODELS

> 09

02
Sport and Wrap Series

4 MODELS

> 16

03
Executive Series

2 MODELS

> 21

ANSI Z87.1 · 1 YEAR WARRANTY · PRESCRIPTION READY · TRADE ONLY

12 MODELS · 45 TRADE SKUS

CONTENTS

Interactive contents · click any row to jump straight to that page

ABOUT HIDX SAFETY

Why choose HIDX	> 04
Standards & compliance	> 05
Range at a glance	> 06
Fit & measurement guide	> 07
	> 08

INDUSTRIAL SERIES

A001 · Full-Frame Industrial	> 09
A002 · Compact Industrial	> 10
A005 · Clean-Line Industrial	> 11
A006 · Dual-Size Vented	> 12
A007 · Long-Temple Wrap	> 13
A010 · Slim Profile	> 14
	> 15

SPORT & WRAP SERIES

A003 · Wide-Vision Sport	> 16
A004 · Close-Fit Wrap	> 17
A008 · Performance Wrap	> 18
A009 · Crystal Vented	> 19
	> 20

EXECUTIVE SERIES

H107 · Optical Crossover	> 21
H207 · Wide Optical Crossover	> 22
	> 23

ACCESSORIES & RETAIL SUPPORT

Wholesale & ordering	> 24
Contact & enquiries	> 25
	> 26

TRADE ONLY

HIDX supplies optical retailers and industrial safety distributors. Pricing is released to registered accounts through the retailer portal. Use the Back to Contents button in any footer to return to this page.

BEHIND HIDX

ABOUT **HIDX**

HIDX Safety is a specialist supplier of certified protective eyewear. We hold a simple conviction: protecting your eyes should never mean compromising on how you look.

Founded on innovation and reliability, HIDX delivers products that professionals across industry can trust, day in and day out. Every frame in this catalogue is built to meet ANSI Z87.1, so the protection is never in question.

We understand that safety glasses are daily gear, not occasional equipment. That is why we design frames that are functional, comfortable and genuinely good looking. On the construction site, in the laboratory, or anywhere eye protection is mandatory, HIDX eyewear is built to fit into the working day rather than fight against it.

Our mission is to provide eyewear that not only meets but exceeds safety standards, without sacrificing the aesthetic appeal.

MANUFACTURING & ASSURANCE

Independent manufacturing

We manufacture our own frames rather than rebadging stock product, so tooling and quality control stay in house.

Official one-year warranty

Every frame carries an official one-year warranty against manufacturing defects, handled through your trade account.

Certification on request

ANSI Z87.1 certification and declarations of conformity are available for any model. Email sales@hidxsafety.com.

THE RANGE IN NUMBERS

12

FRAME MODELS

45

TRADE SKUS

3

PRODUCT SERIES

Z87.1

ANSI STANDARD

WHY CHOOSE HIDX

01 Certified protection

Every frame in the range is built to the ANSI Z87.1 standard for occupational and educational personal eye protection. Compliance is the baseline, not the selling point.

02 Prescription ready

The range is designed around prescription glazing. Full-rim fronts, generous lens depths and stable bridges give your lab the geometry it needs to glaze reliably.

03 Designed to be worn

Sculpted temples, considered bridge widths and balanced weight distribution. Eyewear that stays on the face through a full shift is eyewear that actually protects.

04 Integrated side protection

Side shields are engineered into the frame architecture rather than bolted on, preserving peripheral vision and the lines of the frame.

05 A range, not a product

Twelve frame models across three series, from discreet optical crossovers to high-coverage wraps. One supplier covers the whole floor.

06 Built for the trade

Trade-only pricing, a dedicated retailer portal, counter merchandising and replacement components. We support the sell-through, not just the sale.

07 Official one-year warranty

Every frame carries an official one-year warranty against manufacturing defects.

08 Independent manufacturing

We manufacture our own frames rather than rebadging stock product.

One supplier, the whole floor

From discreet optical crossovers for supervisors to high-coverage wraps for the yard, HIDX covers every role on site from a single trade account.

CERTIFICATION

STANDARDS & COMPLIANCE

ANSI Z87.1
COMPLIANT

HIDX frames are supplied to meet ANSI Z87.1, the American National Standard for Occupational and Educational Personal Eye and Face Protection. It is the benchmark specified across North American industry and referenced by OSHA 29 CFR 1910.133.

ANSI Z87.1

The governing standard for occupational eye protection in North America, covering impact resistance, optical clarity, coverage and durability.

Impact resistance

Z87.1 sets out both basic and high-impact classifications, tested by drop ball and high-velocity projectile methods against the lens and frame together.

Coverage

Protectors must guard against hazards arriving from the side as well as the front, which is why side shields are integral to the HIDX range.

Prescription glazing

Where a frame is glazed to prescription, the finished protector must be certified as an assembly. Work with a qualified laboratory and confirm marking requirements.

Certification documents

Full test certification and declarations of conformity for any model are available to registered trade accounts. Email sales@hidxsafety.com to request documentation before specifying or tendering.

BEFORE TENDER

Certification marking, impact classification and any regional approvals should be confirmed against current documentation for each model before tender submission.

THE COMPLETE RANGE

RANGE AT A GLANCE

12 MODELS

3 SERIES

Click any model to jump straight to its product page


A001

57-18-130

FULL-FRAME INDUSTRIAL

> 10


A002

55-19-130

COMPACT INDUSTRIAL

> 11


A005

59-17-125

CLEAN-LINE INDUSTRIAL

> 12


A006

59-17-125 (M)

DUAL-SIZE VENTED

> 13


A007

55-18-141

LONG-TEMPLE WRAP

> 14


A010

55-17-125

SLIM PROFILE

> 15


A003

60-15-130

WIDE-VISION SPORT

> 17


A004

56-21-120

CLOSE-FIT WRAP

> 18


A008

60-15-135

PERFORMANCE WRAP

> 19


A009

55-19-131

CRYSTAL VENTED

> 20


H107

52-16-145 (S)

OPTICAL CROSSOVER

> 22


H207

54-16-150 (S)


WIDE OPTICAL CROSSOVER

> 23

HOW TO READ A SIZE

FIT & MEASUREMENT

Every model in this catalogue is specified with three measurements, taken in millimetres and quoted in the industry standard order.



A Lens width

Horizontal width of a single lens at its widest point. The first figure in the size code, and the primary driver of coverage.

B Bridge width

Distance between the two lenses. Governs how the frame sits on the nose and how weight is carried across a shift.

C Temple length

Length of the arm from hinge to tip. Longer temples suit deeper head shapes and help stabilise higher-coverage frames.

Sizes are quoted as lens–bridge–temple, for example 57–18–130. Where a model is offered in two sizes, both are listed on the product page.

SIZE REFERENCE · LENS–BRIDGE–TEMPLE IN MM

A001	57-18-130	A003	60-15-130
A002	55-19-130	A004	56-21-120
A005	59-17-125	A008	60-15-135
A006	59-17-125 (M) · 55-15-130 (S)	A009	55-19-131
A007	55-18-141	H107	52-16-145 (S) · 55-16-145 (L)
A010	55-17-125	H207	54-16-150 (S) · 57-16-150 (L)

01

INDUSTRIAL SERIES

Certified frames with integrated side protection

The core of the HIDX range. Six frame models built around integrated side shields and full-rim fronts sized for prescription glazing, covering face widths from a narrow 55 mm through to a deep 59 mm lens.

A001 · A002 · A005 · A006 · A007 · A010

6 MODELS

INDUSTRIAL SERIES

A001

FULL-FRAME INDUSTRIAL

Integrated side shields · Polycarbonate

ANSI Z87.1
COMPLIANT


PROFILE VIEW

MATTE BLACK · C.2

DESCRIPTION

A001 is high-quality protective eyewear built to ANSI Z87.1. Durable polycarbonate construction and built-in side shields deliver high impact resistance across the whole protector, in a frame shape that reads as everyday eyewear rather than site equipment.

KEY FEATURES & BENEFITS

- Integrated wraparound side shields, moulded into the frame front
- High-impact polycarbonate construction
- Full-rim front sized for prescription glazing
- Sculpted temple tips for stability through a full shift

SUITABLE APPLICATIONS

Construction

Manufacturing

Warehousing

General industry

TECHNICAL SPECIFICATIONS

Lens width	57 mm
Bridge width	18 mm
Temple length	130 mm
Frame type	Full rim
Side shields	Integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A001 C.2**

SKU **703818369658**

Pricing [Request trade pricing](#)

COLOURWAYS · 4 OPTIONS


C.1

BROWN LEOPARD


C.2

MATTE BLACK


C.3

MIDNIGHT BLUE / ORANGE


C.4


MATTE BLACK / RED

INDUSTRIAL SERIES

A002

COMPACT INDUSTRIAL

Integrated side shields · Narrow fit

ANSI Z87.1
COMPLIANT


MATTE BLACK · C.2

DESCRIPTION

A002 carries the protective architecture of the A001 into a narrower frame front. A 55 mm lens and wider 19 mm bridge suit smaller face widths and higher nose bridges, extending certified coverage to wearers the standard fit leaves behind.

KEY FEATURES & BENEFITS

- Integrated side shields with clear peripheral panels
- 55 mm lens front for narrower face widths
- 19 mm bridge distributes weight higher on the nose
- Shares the A001 temple length for fleet consistency

SUITABLE APPLICATIONS

Laboratories

Assembly

Inspection

Light industry

TECHNICAL SPECIFICATIONS

Lens width	55 mm
Bridge width	19 mm
Temple length	130 mm
Frame type	Full rim
Side shields	Integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A002 C.2**

SKU **703818369696**

Pricing [Request trade pricing](#)

COLOURWAYS · 3 OPTIONS


C.1

BROWN LEOPARD


C.2

MATTE BLACK


C.3

MIDNIGHT BLUE / ORANGE

INDUSTRIAL SERIES

A005

CLEAN-LINE INDUSTRIAL

Integrated side shields · Gloss finish

ANSI Z87.1
COMPLIANT


GLOSS BLACK · C.2



ALTERNATE COLOURWAY

DESCRIPTION

A005 strips the industrial frame back to a clean rectangular line. A deep 59 mm lens carries the coverage while the side shields sit flush to the frame front, producing a protector that passes for regular eyewear at a distance.

KEY FEATURES & BENEFITS

- Deep 59 mm lens for extended vertical coverage
- Flush-mounted clear side shields
- Gloss and faded finishes alongside solid colourways
- 125 mm temple suits a shallower head shape

SUITABLE APPLICATIONS

Facilities

Utilities

Maintenance

Technical trades

TECHNICAL SPECIFICATIONS

Lens width	59 mm
Bridge width	17 mm
Temple length	125 mm
Frame type	Full rim
Side shields	Integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A005 C.2**

SKU **703818369863**

Pricing [Request trade pricing](#)

COLOURWAYS · 4 OPTIONS


C.2
GLOSS BLACK

C.3
DARK BLUE

C.7
BUBBLEGUM PINK

C.10
BLACK FADE

INDUSTRIAL SERIES

A006 DUAL-SIZE VENTED

Two sizes · Vented side shields · Adjustable pads

ANSI Z87.1
COMPLIANT


PROFILE VIEW

GLOSS BLACK / CLEAR · C.2m

DESCRIPTION

A006 is the fitting solution in the range. Offered in two distinct sizes with adjustable nose pads and vented side shields, it lets a single model cover a whole team without compromising on individual fit or airflow.

KEY FEATURES & BENEFITS

- Two frame sizes, M and S, from one model reference
- Adjustable nose pads, available as replacement parts
- Vented clear side shields reduce lens fogging
- Contrast temple detailing across the colourway range

SUITABLE APPLICATIONS

Multi-site teams

Food processing

Humid environments

General industry

TECHNICAL SPECIFICATIONS

Lens width	59 mm (M) · 55 mm (S)
Bridge width	17 mm (M) · 15 mm (S)
Temple length	125 mm (M) · 130 mm (S)
Frame type	Full rim
Side shields	Vented, integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference	A006 C.2m / C.2s
SKU	703818369719
	703818369740

COLOURWAYS · 6 OPTIONS

Pricing [Request trade pricing](#)

C.2 M/S

GLOSS BLACK / CLEAR


C.6 M/S

BLACK / ORANGE / CLEAR


C.7 M/S

BLACK / PINK / CLEAR

INDUSTRIAL SERIES

A007

LONG-TEMPLE WRAP

141 mm temple · Full side coverage

ANSI Z87.1
COMPLIANT


NAVY · C.2



ALTERNATE COLOURWAY

DESCRIPTION

A007 answers a fit problem the rest of the category tends to ignore. At 141 mm the temple is the longest in the A-series, reaching deeper head shapes without the frame front riding forward and opening a gap at the temple.

KEY FEATURES & BENEFITS

- 141 mm temple, the longest in the A-series
- Full-depth clear side shields close the temple gap
- Broad temple section spreads pressure behind the ear
- Understated navy and black colourways

SUITABLE APPLICATIONS

Heavy industry

Logistics

Field service

Fleet programmes

TECHNICAL SPECIFICATIONS

Lens width	55 mm
Bridge width	18 mm
Temple length	141 mm
Frame type	Full rim
Side shields	Integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A007 C.1**

SKU **703818369962**

Pricing [Request trade pricing](#)

COLOURWAYS · 2 OPTIONS


C.1
BLACK

C.2
NAVY

INDUSTRIAL SERIES

A010

SLIM PROFILE

Low-profile front · Vented shields

ANSI Z87.1
COMPLIANT


SILVER · C.3



ALTERNATE COLOURWAY

DESCRIPTION

A010 is the lightest visual footprint in the industrial series. A slim frame front and vented clear side shields deliver certified protection with the presence of a regular optical frame, for wearers who resist obvious safety eyewear.

KEY FEATURES & BENEFITS

- Slim frame front with minimal visual bulk
- Vented clear side shields for airflow
- Black, clear and silver colourways
- 125 mm temple for a compact overall fit

SUITABLE APPLICATIONS

Office-adjacent industry

Laboratories

Dental and medical

Education

TECHNICAL SPECIFICATIONS

Lens width	55 mm
Bridge width	17 mm
Temple length	125 mm
Frame type	Full rim
Side shields	Vented, integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A010 C.1**

SKU **703818370036**

Pricing [Request trade pricing](#)

COLOURWAYS · 3 OPTIONS


C.1
BLACK

C.2
CLEAR

C.3
SILVER

02

SPORT AND WRAP SERIES

High-coverage frames for demanding environments

Wrapped fronts, wider lenses and closer fits for work that moves. Four models built for outdoor sites, powered tools and warm conditions, with vented shields and colourways crews will actually wear.

A003 · A004 · A008 · A009


4 MODELS

SPORT & WRAP SERIES

A003

WIDE-VISION SPORT

60 mm lens · Contrast temples

ANSI Z87.1
COMPLIANT


GREEN / BLACK · C.9

DESCRIPTION

A003 opens up the field of view. A 60 mm lens paired with a narrow 15 mm bridge pushes coverage outward across the brow line, while contrast temple accents and a sculpted brow bar give the frame a deliberately athletic stance.

KEY FEATURES & BENEFITS

- 60 mm lens, the widest in the range alongside A008
- Sculpted brow bar for structural rigidity
- Contrast temple accents in every colourway
- HiDX lens marking on the front lens

SUITABLE APPLICATIONS

Outdoor work

Groundworks

Agriculture

Sport and recreation

TECHNICAL SPECIFICATIONS

Lens width	60 mm
Bridge width	15 mm
Temple length	130 mm
Frame type	Full rim, sport
Side shields	Integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A003 C.2**

SKU **703818369818**

Pricing [Request trade pricing](#)

COLOURWAYS · 3 OPTIONS


C.2

BLACK / YELLOW


C.8

GREY / BLACK


C.9

GREEN / BLACK

SPORT & WRAP SERIES

A004

CLOSE-FIT WRAP

Deep bridge · Detachable side components

ANSI Z87.1
COMPLIANT


BLACK · C.2



ALTERNATE COLOURWAY

DESCRIPTION

A004 sits closest to the face of anything in the range. A deep 21 mm bridge and short 120 mm temple pull the frame in tight, closing the gap between lens and brow where debris and splash normally find a way through.

KEY FEATURES & BENEFITS

- Deepest bridge in the range at 21 mm
- Short 120 mm temple for a close, high-set fit
- Supplied with detachable side components as shown
- Bronze, black, matte purple and clear colourways

SUITABLE APPLICATIONS

Grinding and cutting

Machining

Woodworking

Powered tools

TECHNICAL SPECIFICATIONS

Lens width	56 mm
Bridge width	21 mm
Temple length	120 mm
Frame type	Wrap
Side shields	Detachable
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A004 C.2**

SKU **703818369771**

Pricing [Request trade pricing](#)

COLOURWAYS · 4 OPTIONS


C.1
BRONZE

C.2
BLACK

C.10
MATTE PURPLE

C.11
CLEAR

SPORT & WRAP SERIES

A008

PERFORMANCE WRAP

60 mm lens · Colour-block temples

ANSI Z87.1
COMPLIANT


BLACK / ELECTRIC GREEN · C.1



ALTERNATE COLOURWAY

DESCRIPTION

A008 is the most overtly sporting frame HiDX makes. A 60 mm lens and 135 mm temple combine reach with coverage, and the colour-blocked temple treatment gives crews a frame they will actually choose to put on.

KEY FEATURES & BENEFITS

- 60 mm lens with a wrapped frame front
- Colour-blocked temples in electric green or sky blue
- 135 mm temple balances reach and grip
- Integrated side shields across the full temple depth

SUITABLE APPLICATIONS

Site work

Highways

Rail

Energy and renewables

TECHNICAL SPECIFICATIONS

Lens width	60 mm
Bridge width	15 mm
Temple length	135 mm
Frame type	Wrap, sport
Side shields	Integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A008 C.1**

SKU **703818369986**

Pricing [Request trade pricing](#)

COLOURWAYS · 2 OPTIONS


C.1
BLACK / ELECTRIC GREEN

C.2
BLACK / SKY BLUE

SPORT & WRAP SERIES

A009

CRYSTAL VENTED

Translucent frames · Vented shields

ANSI Z87.1
COMPLIANT


CRYSTAL RED / BLACK · C.1



ALTERNATE COLOURWAY

DESCRIPTION

A009 brings translucent frame material into certified safety eyewear. Crystal colourways over a black underframe give the range its most distinctive look, with vented side shields keeping air moving across the lens.

KEY FEATURES & BENEFITS

- Translucent crystal frame fronts over a black underframe
- Vented side shields reduce fogging in warm conditions
- 19 mm bridge for a stable, higher-set fit
- Crystal red, crystal jade and crystal yellow colourways

SUITABLE APPLICATIONS

Warm environments

Food and beverage

Workshops

Retail display

TECHNICAL SPECIFICATIONS

Lens width	55 mm
Bridge width	19 mm
Temple length	131 mm
Frame type	Full rim, sport
Side shields	Vented, integrated
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference **A009 C.1**

SKU **703818370012**

Pricing [Request trade pricing](#)

COLOURWAYS · 3 OPTIONS


C.1

CRYSTAL RED / BLACK


C.2

CRYSTAL JADE / BLACK


C.3

CRYSTAL / YELLOW

03

EXECUTIVE SERIES

Optical crossover frames with optional side protection

Certified protection with nothing about it that reads as safety eyewear. Two optical-styled models in four size and colour combinations, with side shields that fit only when the environment calls for them.

H107 · H207


2 MODELS

EXECUTIVE SERIES

H107

OPTICAL CROSSOVER

Two sizes · Optional side shield

ANSI Z87.1
COMPLIANT


PROFILE

SHINY BLACK · C.1 S/L

DESCRIPTION

H107 is a dress optical frame that happens to be certified. Shiny black and shiny tortoise acetate-look finishes, a 145 mm temple, and side shields that fit only when the environment demands them. The frame the wearer keeps on all day.

KEY FEATURES & BENEFITS

- Optical frame styling with no visible safety cues
- Optional side shield fits when the task requires it
- Two sizes, S at 52 mm and L at 55 mm
- 145 mm temple with a classic straight profile

SUITABLE APPLICATIONS

Engineering offices

Client-facing roles

Laboratories

Education

TECHNICAL SPECIFICATIONS

Lens width	52 mm (S) · 55 mm (L)
Bridge width	16 mm
Temple length	145 mm
Frame type	Full rim, optical
Side shields	Optional
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference H107S C.1 / H107L C.1

SKU 703818369887

703818369894

Pricing

[Request trade pricing](#)

COLOURWAYS · 2 OPTIONS


C.1 S/L
SHINY BLACK


C.2 S/L
SHINY TORTOISE

EXECUTIVE SERIES

H207

WIDE OPTICAL CROSSOVER

Two sizes · 150 mm temple · Optional side shield

ANSI Z87.1
COMPLIANT


PROFILE

SHINY BLACK · C.1 S/L

DESCRIPTION

H207 takes the optical crossover wider and longer. A 57 mm lens in the L size and a 150 mm temple, the longest HiDX offers, make it the executive frame for larger head shapes without losing the discreet, non-industrial line.

KEY FEATURES & BENEFITS

- Widest optical crossover front at 57 mm in size L
- 150 mm temple, the longest in the HiDX range
- Optional side shield for regulated areas
- Shiny black and shiny tortoise finishes

SUITABLE APPLICATIONS

Engineering offices

Supervisory roles

Laboratories

Professional services

TECHNICAL SPECIFICATIONS

Lens width	54 mm (S) · 57 mm (L)
Bridge width	16 mm
Temple length	150 mm
Frame type	Full rim, optical
Side shields	Optional
Prescription	Rx ready

STANDARDS

ANSI Z87.1

Occupational eye protection

ORDERING

Reference	H207S C.1 / H207L C.1
SKU	703818369924
	703818369931

COLOURWAYS · 2 OPTIONS

Pricing [Request trade pricing](#)

C.1 S/L
SHINY BLACK

C.2 S/L
SHINY TORTOISE

COMPONENTS & MERCHANDISING

ACCESSORIES & RETAIL SUPPORT

A006M Nose Pads

TRADE

Replacement nose pads for the A006 in size M.

[Request trade pricing](#)

Sold as a replacement component. Order alongside A006 M frames to support in-store adjustment and after-sales service.

A006S Nose Pads

TRADE

Replacement nose pads for the A006 in size S.

[Request trade pricing](#)

Sold as a replacement component. Order alongside A006 S frames to support in-store adjustment and after-sales service.

Counter Display

TRADE

Branded countertop merchandising unit.

[Request trade pricing](#)

Presents the range at the point of sale. Available to stocking retailers; specify with your opening order.

Merchandising support

Stocking retailers can request the branded counter display with an opening order. Replacement nose pads keep A006 frames adjustable in store.

COMPLETE ORDERING REFERENCE

A001 C.1	Brown Leopard	A006 C.6s	Black / Orange / Clear	A004 C.11	Clear
A001 C.2	Matte Black	A006 C.7m	Black / Pink / Clear	A008 C.1	Black / Electric Green
A001 C.3	Midnight Blue / Orange	A006 C.7s	Black / Pink / Clear	A008 C.2	Black / Sky Blue
A001 C.4	Matte Black / Red	A007 C.1	Black	A009 C.1	Crystal Red / Black
A002 C.1	Brown Leopard	A007 C.2	Navy	A009 C.2	Crystal Jade / Black
A002 C.2	Matte Black	A010 C.1	Black	A009 C.3	Crystal / Yellow
A002 C.3	Midnight Blue / Orange	A010 C.2	Clear	H107 C.1 S/L	Shiny Black
A005 C.2	Gloss Black	A010 C.3	Silver	H107 C.2 S/L	Shiny Tortoise
A005 C.3	Dark Blue	A003 C.2	Black / Yellow	H207 C.1 S/L	Shiny Black
A005 C.7	Bubblegum Pink	A003 C.8	Grey / Black	H207 C.2 S/L	Shiny Tortoise
A005 C.10	Black Fade	A003 C.9	Green / Black	A006M Nose Pads	Accessory
A006 C.2m	Gloss Black / Clear	A004 C.1	Bronze	A006S Nose Pads	Accessory
A006 C.2s	Gloss Black / Clear	A004 C.2	Black	Counter Display	Accessory
A006 C.6m	Black / Orange / Clear	A004 C.10	Matte Purple		

HOW TO ORDER

WHOLESALE & ORDERING

01 Register as a retailer

HIDX supplies trade only. Optical retailers and industrial safety distributors register through the retailer portal to unlock pricing and place orders.

02 Build your order

Order by model and colourway reference, for example A001 C.2. Where a model is offered in two sizes, specify M or S, or S and L for the Executive Series.

03 Confirm glazing

Frames ship unglazed unless agreed otherwise. Confirm prescription requirements and any certification marking with your laboratory before glazing.

04 Merchandising support

Add the branded counter display and replacement nose pads to your opening order to support sell-through and after-sales service.

TRADE TERMS

Trade only

Pricing is visible to registered retailers. HiDX does not sell direct.

Currencies

Orders are processed in CAD and USD.

Order reference

Quote the model and colourway code on every line.

Lead times

Confirmed at order acknowledgement.

Register for trade access

www.hidxsafety.com

TRADE ENQUIRIES

sales@hidxsafety.com · [1-877-232-5909](tel:1-877-232-5909)

LET'S TALK SPECIFICATION

HiDX supplies optical retailers and industrial safety distributors across North America. Register for trade access, request samples, or talk to us about fleet and tender requirements.

WEBSITE www.hidxsafety.com

ENQUIRIES www.hidxsafety.com/pages/contact

EMAIL sales@hidxsafety.com

TELEPHONE [1-877-232-5909](tel:1-877-232-5909)

BECOME A HIDX RETAILER

Eyecare professionals and safety distributors: register for exclusive trade access.

Offering eyewear that surpasses safety standards while maintaining style.